

# LED EMERGENCY LIGHTS

## LED Emergency Lights - Indoor Application

EPE-3W-EM-MT-3H



### Product Description

Round Recessed Micro Spot LED Emergency Light with minimal architecture suitable for any interior application without disrupting the design of the ceiling, with guaranteed compliance with the latest emergency lighting standards

### Features


- LiFePO4 battery
- 80 mm Adapter Ring for bigger cut hole
- High efficiency
- Oval & Round Lens for different application
- Long Lifetime

### Website:

[www.enov.online](http://www.enov.online)



### Dimensions



# LED Emergency Lights - Indoor Application

## EPE-3W-EM-MT-3H

### Technical Data

#### Module

Catalogue number	EPE-3W-EM-MT-3H
Duration Time	3 hours
Operating mode	M
Version	Manual Test

#### Details

Colour	RAL 9003
Lumen Output	267 lumens (RL), 250 lumens (OL)
CCT	5000K
Dimension	50 mm (Ø), 32 mm (height)

#### Power

Mains power	3.5W Max
Emergency Power	2.1W Max
Voltage	200-240VAC, 50/60 Hz

#### Standards

Temperature	50°C
Material	PC
Insulation class	2
IP	IP20

<b>Battery</b>	LiFePO4 6.4V 1500mAh
----------------	----------------------

<b>Warranty</b>	24 months
-----------------	-----------

<b>LED lifetime</b>	50 000 work hours
---------------------	-------------------

### STANDARDS

- IEC 60598-2-2:2011,
- IEC 60598-2-22:2014+A1,
- IEC 60598-1:2014+A1,
- IEC 60598-2-22:2014, AMD1:2017 used in conjunction with IEC 60598-1:2014, AMD1:2017
- EN IEC 55015:2019+A11
- EN IEC 61000-3-2:2019+A1
- EN 61000-3-3:2013+A1
- EN 61547:2009