


The background of the page is a photograph of a modern glass skyscraper, viewed from a low angle looking up. The image is partially covered by a semi-transparent blue overlay on the left side. The text "COMPANY PROFILE" is overlaid on the blue area in white, bold, sans-serif capital letters. A thin white horizontal line is positioned below the word "PROFILE".

COMPANY PROFILE



Welcome Message

Qatar continues to stand as a beacon of economic strength on the global stage, boasting one of the highest per capita incomes and sustained growth rates. With its National Vision 2030 within reach, and having successfully hosted major international sporting events such as the World Athletics Championship 2019 and the FIFA World Cup 2022, the nation is embarking on a new phase of development marked by a surge in transformative projects. These initiatives are poised to further enhance Qatar's robust economy, solidifying its position as a key player in the global landscape.

To succeed in this environment, INOVEC adheres to the highest standards of quality and safety in the industry. To maintain our edge, we continuously train our staff to the latest techniques and innovations worldwide.

At INOVEC, we firmly believe that a company's most valuable assets are its human resources. Therefore, our primary objective is to deliver solutions and achieve results grounded in our clients' loyalty and our employee's job satisfaction, and we are steadfast in our commitment to overcoming any obstacles to achieve these goals.

Fawzi Abouzeid
General Manager

TABLE OF CONTENT

- ABOUT US
- MISSION & VISION
- CORE VALUES
- SERVICES
- PROJECT REFERENCES
- PRODUCTS
- CONTACT US

ABOUT US

Founded in 2017 INOVEC TRADING operates, as a trading and service company specializing in the Electro-Mechanical field. It partners with world renowned manufacturers such as Siemens, TRIDONIC, TM Technologie, Rydair, moehlenhoff, Trevos and others.

Our Offering span an array of products within the Lighting, Automation and HVAC industry. We focus on providing solutions for Emergency Lighting & Systems, Lighting Control and Components, HVAC Valves, Actuators, Controllers and automation components.

The core principle of INOVEC is "INNOVATION FORWARD " reflecting our commitment to introducing the technologies and solutions to the market.

Since its establishment the company has successfully completed projects in commercial, residential, rail, transportation, hospitality, and industrial sectors. We adhere to standards of quality, safety and innovation by offering products and services that include consultations, design, supply and installation tailored to meet clients specific needs and highest expectations.

With an emphasis on quality, cost efficiency and timely delivery the team at INOVEC believes that our continuous growth stems from our workforce strong understanding of our customers operations and our dedication, to delivering cutting edge solutions. Our company has made an impact, in the market and achieved remarkable growth. We are committed to ensuring customer satisfaction and aim to surpass their expectations.



MISSION & VISION

Our mission is to deliver top-tier engineering products and services to our clients, prioritizing quality, cost-effectiveness, and responsiveness while ensuring profitability.

Achieving this objective hinges on our dedicated and driven team, committed to meeting our clients' needs with professionalism and excellence. Central to our mission is our unwavering commitment to valuing and supporting our staff, recognizing them as the cornerstone of our success.

CORE VALUES

Since we began, we've been governed by our core values and they continue to inspire our work and service offerings:



Innovation

We seek out and develop innovative solutions that have the potential to change the world.



Reliable

We maintain our commitments and strive to ensure that all products and services are delivered as per our agreed-upon timelines.



Teamwork

Our people are our pride and our primary assets. In return for their talent and service, we create opportunities for them to recognize and reach their full potential.



Accountability

We are transparent in our dealing and prioritize on delivering our commitments.



Quality

We make it a priority to maintain and deliver the highest quality products and services.




Community

At the core of our work, we believe in developing the community around us.



Leadership

We strive to always be leaders in our field. We keep working to provide the latest and most innovative solutions.



Integrity

We inspire trust by implementing what we say we will do. We are unyieldingly ethical and honest in our practices.



Customer satisfaction

We remain constantly conscious of our client's goals and are proactive in finding solutions that best suit their needs.



Safety

Our employees health and safety are of utmost importance to us and we go beyond the legal requirements to ensure an accident-free work space.

SERVICES



HVAC



AUTOMATION




LIGHTING / CONTROL



ELECTRICAL SYSTEM



EMERGENCY LIGHTING



CENTRAL BATTERY SYSTEM



CENTRAL MONITORING SYSTEM



EXPLOSION PROOF PRODUCTS

LUX CALCULATION

Our experienced lighting designers offer free lux calculation reports using the latest Dialux software. We provide professional lighting planning and consulting for various industries, ensuring compliance with local and international illumination standards. Request your lux calculation report and receive it within 24 hours

ON SITE LUX MEASUREMENTS

Our engineers and lighting technicians provide on-site lux measurements for emergency and general lighting. Get reports with actual lux readings and recommendations for improvement to ensure compliance with local codes (QCD).

CUSTOM LIGHT FITTINGS PRODUCTION

INOVEC proudly offers customized linear lighting solutions for office, retail, and residential applications. We provide a variety of luminaires in different lengths, accessories, mounting types, color temperatures, and finishes.

HVAC PICV SELECTION

Our application engineers specialize in selecting Pressure Independent Control Valves for chilled water systems in FCUs, AHUs, and terminal units. This service ensures the control valves meet the required flow rates and design criteria.


LIGHTING COMPONENTS INSPECTION & DIAGNOSTICS

Our engineers and lighting technicians offer on-site inspection and diagnostics for lighting components, including emergency and general lighting.



INTELLIGENT LED DRIVERS, LIGHTING & AUTOMATION SOLUTIONS







CONSTANT CURRENT LED DRIVERS:

Range of energy-efficient dimmable and non-dimmable LED drivers we offer the right products for every indoor and outdoor application



CONSTANT VOLATAGE LED DRIVERS:

Range of **energy-efficient dimmable and non-dimmable LED drivers** we offer the right products for every indoor and outdoor application



EMERGENCY BATTERY KITS:

Complete solution of Pre wired inverter and batteries for Remote Installation inside false ceiling



SIGNAL CONVERTOR:

Lighting control with high-performance dimming signal converter. Convert DALI dimming to 1-10V/0-5V PWM/0-10V PWM signals & more effortlessly



DIMMING KEYPAD:

Elegant keypad switches and light controls for intelligent homes/ office. Effortlessly create beautiful light with a simple touch. Sophisticated design, seamless functionality.




EMERGENCY & EXIT LIGHTING:

Comprehensive self-contained lighting solutions that ensure safety and visibility during emergencies. With durable construction and easy installation.

ALUMINUM PROFILE


PROFILE INTALLATION



LED STRIPS



Static, Blink, Dim, Multi-Color, High-density LEDs, Remote control or app, Easy install, Perfect for decor, parties, mood lighting, Energy-efficient.



NEON LED FLEX



Unleash Your Imagination with
NEON LED Flux: Endless Creativity,
Vibrant Colors, Limitless



Top bend series



Side bend series



3D Series



360 Series



EMERGENCY & EXIT LIGHTING



EMERGENCY AND EXIT LIGHTING

Illuminate escape routes and high-risk areas with our emergency lighting solutions, ensuring safe evacuation and operational continuity during emergencies.



ESCAPE ROUTE LIGHTING :

Guides safe evacuation from high-risk areas.

SLAVE EMERGENCY & EXIT LIGHTS :

for integration with Central Battery System



LED EXIT LIGHTS :

For bright illumination and durable polycarbonate housing. Equipped with long-lasting LED modules

OPEN AREA / ANTI PANIC LIGHTING :

Prevents panic by providing general illumination & modern luminaire design



INDUST TUNNEL FIXTURE :

Designed for use in demanding environments – thanks to resistance to dust and liquid ingress adapted to the nature of the tunnel environment – robust fixture housing IP66, IP69 and IK08



Wall mounted & free-standing luminaire:
for Industrial and car parking application -IP66/IP69

Perfect as an evacuation route direction (evacuation sign) on large areas of the airport, road and railway tunnels, industrial halls



POLE LIGHT
Compact design with metal finish, improving sign visibility with Double-sided version

CENTRAL BATTERY AND MONITORING SYSTEM
EMERGENCY AND EVACUATION LIGHTING FITTING POWERED FROM A CEBTRAL BATTERY



Device enabling control of emergency lighting groups, dedicated to DATA 2 and TM-CB emergency lighting systems.

A wired/wireless self-contained addressable system with a user-friendly touchscreen interface. It automatically reports system status, communicates with emergency luminaires, and allows easy updates via USB.



HVAC AND AUTOMATION



VALVES AND ACTUATORS

FAST AND EASY PLANNING, INSTALLING AND COMMISSIONING



PICV VALVES:

Optimize system performance by integrating reliable valve control, ensuring consistent delta-T and minimizing actuator adjustments



ACTUATORS:

Efficient flow control to optimize comfort with precise regulation and control of water, steam and other media



GLOBE VALVE:

Good shutoff capability, good throttling capability, high reliability, and a variety of flow configurations.



INTELLIGENT VALVE:

Autonomously optimizes operations, with direct communication to building operators for streamlined efficiency.



MAGNETIC VALVE:

Swiftly regulate water, steam, or refrigerants with precision, using electronically controlled magnets



BUTTERFLY VALVE:

Isolate flow with bubble-tight shutoff, and exceed system demands with improved performance and efficiency

ROOM THERMOSTATS

FOR MAXIMUM COMFORT AND ENERGY EFFICIENCY



COMMUNICATING THERMOST RANGE:

Autonomously optimizes operations, with direct communication to building operators for streamlined efficiency.



NON-COMMUNICATING THERMOSTAT RANGE:

Flexible devices covering a broad range of applications

DAMPER ACTUATORS

A complete range of high-quality damper actuators



- ✓ SPRING RETURN DAMPER ACTUATORS
- ✓ NON-SPRING RETURN DAMPER ACTUATORS
- ✓ FAST-ACTING DAMPER ACTUATORS
- ✓ VARIABLE AIR VOLUME (VAV) SOLUTIONS

SENSORS

A COMPLETE RANGE OF HIGH-QUALITY SENSORS



Temperature Sensors

Measure temperature at nearly any point in the building, including room, outdoor, air side and water side.



Humidity Sensors

From basic measurement in an HVAC system to more precise applications in critical environments, humidity sensors provide a cost-effective and reliable solution



Air Quality Sensors

A wide variety of air quality sensors including simple CO₂ measuring devices and more sophisticated units that measure volatile organic compounds (VOCs) and particulate matter.



Pressure Sensors, Flow Sensors and Switches

An extensive range of pressure sensors, flow sensors and flow switches for both the air side and the water side of your HVAC system are offered

VARIABLE FREQUENCY DRIVE





PROVEN RELIABILITY, ENDLESS POSSIBILITIES

Siemens builds variable frequency drives to address the complete power conversion spectrum – the entire “drive train” - maximizing energy efficiency and productivity. Integrated products include low and medium voltage AC, and DC drives.






KNX Solution Transform a facility's lighting and environment with KNX solutions,

KNX System flexibility provides precise illumination and comfort for occupant productivity. Distributed network architecture manages lighting, shade and environment controls, reducing costs and saving energy. KNX can be integrated with Siemens and other BMS direct or via BACnet.

 <p>TC5 all-in-one room operation unit: touch-enabled device with a built-in temperature sensor and KNX room control apps, allowing users to optimize room conditions easily</p>	 <p>Sensors: Ceiling-mount presence detectors provide motion, presence, and continuous dimming with light level reporting. They feature daylight harvesting, four control zones, and optional humidity/CO2 sensors</p>	 <p>Actuating Devices: UL and ULc listed actuating devices: relays, dimmers, and 0-10 VDC dimming. Each output can be assigned tasks like delayed, normal open, normal closed, etc.</p>	 <p>DALI: Offer one or two DALI loops, each supporting up to 64 devices with individual and group control. Preset scenes are available.</p>	 <p>Gateways and Controllers: This infrastructure devices, providing a comprehensive solution for lighting, shade, and automation systems.</p>
--	--	---	--	--

PLC SIMATIC controllers – Passion for automation

 <p>SIEMENS Ingenuity for life</p>	 <p>S7-1200 PLC: Basic Controller</p>					
<p>Perfect choice for the fast, uncomplicated and space-saving solution of simple control and regulation tasks. LOGO! has long since established itself as an intelligent logic module in small automation projects.</p>	Switch module	Power supply	Communication module	CPU	Signal module	Technology module
		<p>HMI Devices: Rugged and compact for use at machine level. With IP65/NEMA 4 degree of protection on the front side, high EMC and extreme vibration resistance.</p>				




UNIVERSAL HVAC ACTUATORS






comprehensive product range of thermal valve actuators for virtually all valves used in underfloor heating and cooling, as well as building control systems

OEM Motoric Valve Drive		230 V 3-point	24 V 3-point	24 V Proportional
Voltage	24 V AC/DC	–	●	●
	230 V	●	–	–
Control voltage	0–10 V	–	–	●
Stroke	8.5 mm	●	●	●
Actuating force	100, 125, 150, 200 N	●	●	●
Valve path recognition (optional)		–	–	●
Removal safeguard		●	●	●
Feedback signal (optional)		–	–	●
Failsafe (optional)		–	●	●





LED LIGHTING SOLUTIONS BY TRIDONIC



TRIDONIC

The Tridonic creates innovative technologies for connected light, smart lighting controls and complete LED lighting systems for the global market.

LED MODULE



LLE/ RLE linear:

Linear modules for linear luminaires and panel lights
Indoor modules LLE,
Outdoor modules RLE



QLE Square:

Tunable White Lighting System, adjustable from warm 2,700K to cool 6,500K, maintaining steady brightness.



CLE Circular:

designed for ceiling-mounted and wall-mounted luminaires, offering a long lifetime



LLE FLEX:

Constant voltage LED flex tapes for decorative lighting. Perfect for versatile and vibrant lighting effects.



Downlight:

Downlight: Complete solution comprising of LED module, lens, heat sink and LED Driver with high system efficiency up to 111lm/W



Spot light:

wide range of color temperatures, high CRI providing accurate and natural lighting for various applications



LED DRIVERS & EMERGENCY BATTERY KITS



Emergency battery kits:

LiFePO₄, NiMH, and NiCd battery packs, with options for high-temperature cells and various configurations



LED drivers:

wide range of energy-efficient LED drivers, perfect for indoor and outdoor use. With options for both dimmable and non-dimmable setups, including constant current and voltage drivers.



EMConverterLED:


combines a pre-wired emergency lighting driver and a battery in a plastic housing. Allowing existing luminaires to be easily retrofitted for use as emergency lighting.

TRIDONIC

Dali Control Systems
Tridonic range of DALI Systems for
simple and user-friendly lighting control.



DALI TOUCHPANEL BASIC



DALI x/e-touch PANEL 02



SceneCOM

DALI Devices Tridonic range
of DALI Power Supply & Interface



DALI POWER SUPPLY



DALI repeater



DALI USB



INDUSTRIAL LIGHTING





TREEVOS

Waterproof, dustproof and highly impact-resistant Industrial Lighting. Adapted for challenging conditions, like outdoor, high temperatures, or for premises with presence of explosives and chemicals.



PRIMA:
For industrial indoor and outdoor spaces, like warehouses and workshops, safe from explosions and resistant to dust and fumes.



FUTURA:
This LED fixture, with a polycarbonate diffuser, is perfect for tough industrial environments indoors and outdoors, resisting dust, moisture, and impact.



INNOVA:
The light fixture withstands dust, humidity, and water up to 80°C, thanks to its PC body and diffuser's strong mechanical resistance to impact and deformation.



TrEx:
This metal light fixture, with satinated tempered safety glass, is designed for hazardous zones 1, 21, 2, and 22.



PERUN SLIM:
This light fixture suits various industrial settings indoors and outdoors, resistant to deformation, dust, and splashing water.



ALUMAX LED:
This light fixture suits industrial indoor and outdoor spaces, resisting deformation, dust, water, and chemicals.



CANOPUS:
Metal LED fitting for high ceilings, with satinized tempered glass. Ideal for industrial spaces indoors and outdoors, safe from explosions.



LANUS:
The fitting is suitable for indoor industrial spaces, warehouses, sports halls and advertisement spaces



LYRA:
LYRA is a stylish round LED luminaire for walls and ceilings, perfect for residential areas, corridors, lounges, hotels, restaurants, and entrance areas.



MIDDLE EAST Ta 55:
Perfect for industrial indoor and outdoor use, resistant to dust, moisture, and impact. Made of polycarbonate, it withstands deformation and is safe from explosions.



CONCEPT RED:
for cows in the barns, chemically resistant



CONCEPT BLUE:
to poultry farms, chemically resistant



ELECTROSTATIC AIR CLEANER





Industrial-grade electrostatic air cleaners capture dry and wet particulates including oil mist, cooking fumes, and pollutants. They're used in various settings like commercial kitchens, factories, CNC machine shops, and more for efficient air purification.



Electrostatic Air Cleaner/ Ecology unit:


Industrial grade **Electrostatic Air Cleaners** for collection of dry and wet particulates. Like dust, oil mist, cooking fumes and various pollutants




Electrostatic cells



Single phase



UV ozone injection



1.4 mm weatherproof powder coated



Ozone generator



Activated Carbon filter



Ozone generator



UVC LAMP



DUV 1x300/400



DUV 2x300/400



DUV 1x900/ DUV 2x900



HVAC FILTERS



PRE FILTERS

Metal filters



- EFFICIENCY G2
- EXPANDED METAL FINISH
- GALVANIZED FRAME

Panel Filters



- EFFICIENCY G3 - G4
- SYNTHETIC MEDIA
- GALVANIZED FRAME

Synthetic Rigid Panel Filters




- EFFICIENCY G4 - M5
- SYNTHETIC RIGID MEDIA
- WITHOUT MESH
- PLASTIC FRAME

BAG FILTERS

Pocket Filters



- EFFICIENCY G3 - G4
- SYNTHETIC MEDIA
- GALVANIZED & PLASTIC FRAME



- EFFICIENCY M6-F7-F8
- GLASS FIBER MEDIA
- PLASTIC FRAME OR GALVANIZED FRAME

CARBON FILTERS

Pleated Odor A.C. Filters



- RELATIVE HUMIDITY 70%
- TEMPERATURE 50°C
- PLASTIC FRAME CARBON PLEATED
- HIGH SURFACE AREA
- EASY TO INSTALL

HEPA FILTERS

HEPA FILTERS



- EFFICIENCY
- E10 - E11 - E12 - H13 - H14 - U15 - U16 - U17
- LAMINAR AIR FLOW
- PU GASKET
- OPTIONAL DOUBLE SIDE PROTECTION GRID
- ALUMINIUM AND MDF FRAME

HEPA V



- EFFICIENCY
- E10 - E12 - H13 - H14 - U15
- HIGH-CAPACITY AIR FLOW
- LOW PRESSURE DROP
- LONG SERVICE LIFE
- HIGH-CAPACITY DUST LOADING


GEL GASKET



- EFFICIENCY
- E11 - E12 - H13 - H14 - U15 - U16 - U17
- LAMINAR AIR FLOW
- LEAKAGE FREE WITH GEL GASKET
- DOUBLE SIDE PROTECTION GRID
- GLASS FIBER MEDIA



EXPLOSIONPROOF LIGHT FITTINGS




lighting & technology solutions that bring unique value to hazardous applications. Explosion Proof LED lights for oil & gas, petrochemical complex, chemical factory, etc.

Explosionproof floodlight

With LED modules:

Designed for zones 21 and 22 with explosion hazards from flammable gases, vapors, mists, dusts, and fibers. Aluminum housing with polycarbonate or tempered glass diffuser.



With 3h emergency power module:

Designed for use in zones 21 and 22 with explosion hazards from flammable gases, vapors, mists, dusts, and fibers. The housing is aluminum, and the diffuser is polycarbonate or tempered glass.


Explosionproof light fitting with LED modules

Designed for zones 21 and 22 with explosion hazards. Aluminum housing and polycarbonate or tempered glass diffuser.



Designed for use in zones 21 and 22 with flammable gases, vapors, liquids, dusts, and fibers.

Special optics designed for use in Zones 21 and 2, 22 of gas and steam from flammable liquids, as well as in combustible dust and fiber explosion hazard areas.



Evacuation version Designed for use in Zone 2 and 22 explosion hazard areas with flammable gases, vapors, liquids, dusts, and fibers.




TOP LEVEL METERING SOLUTIONS BY LANDIS+GYR

Smart metering solution products for industrial, commercial and residential heating and cooling applications.



DISTRIBUTION OF THERMAL ENERGY



ULTRAHEAT T330:

- Advanced software features.
- Resistant to mechanical stress and high temperatures (130°C) due to all-metal design of the flow part
- DuraSurface™


ULTRAHEAT T450:

- Compact
- DuraSurface™ makes the flow part insensitive to small particles in the water
- Easy data collection and processing adapts itself flexibly to future requirements and developments

ULTRAHEAT T550:


- Top measurement accuracy and stability proven by longest track record of field installations
- DuraSurface™ makes the flow part insensitive to small particles in the water
- Easy data collection and processing

Solution Overview





EXPLOSION-PROOF PRODUCTS



TEP Ex: Leader in Explosion-Protected Electrical Equipment. With over 60 years of expertise, specialized in manufacturing top-quality products for hazardous environments in industries like refineries, offshore installations, petrochemicals, and more. From innovative solutions to tailored customer service



Ex LIGHT FITTINGS:

Future of Ex lighting with our LED solutions. Longer lifespan, eco-friendly, and no UV emissions. Reduce light pollution and save energy. We stand out by using top-tier LED components in heavy-duty construction.

Ex grounding and grounding control device GGCD



Ex SIGNALLING DEVICES, PLUGS AND SOCKETS, ACCESSORIES



Ex control units



Ex INSTALLATION EQUIPMENT

All products are compiled to ATEX Zone 1 (high risk gas/vapor) ATEX Zone 2 (medium risk gas/vapor) ATEX Zone 21 (high risk powder/dust) ATEX Zone 22 (medium risk powder/dust)

PROJECT REFERENCES



Project:
Qatar National Library Dar al Kutub

Product:
TM Technologie Central battery system
TM Technologie Emergency & Exit lights
Siemens Lighting control system
Tridonic LED Drivers

Project:
Red & Gold line metro stations

Product:
TM Technologie Emergency & Exit lights
Tridonic LED Drivers



Project:
Doha Expo 2023 Building

Product:
TM Technologie Emergency & Exit lights

Project:
Hamad International Airport Souq Al Matar

Product:
TM Technologie Emergency & Exit lights



Project:
German Embassy at Tornado Tower

Product:
TM Technologie Central battery system | TM Technologie Emergency & Exit lights

PROJECT REFERENCES



Project:
Hamad International Airport Expansion Project

Product:
TM Technologie Emergency & Exit lights

Project:
New Naval Base Project

Product:
TM Technologie Emergency & Exit lights



Project:
Al Mana Edition Hotel Westbay

Product:
TM Technologie Central battery system | TM Technologie Emergency & Exit lights
Siemens Building Management System | Siemens HVAC Valves and Actuators |
Siemens Sensors

Project:
Ministry of Interior Service Center- Pearl Qatar

Product:
TM Technologie Emergency & Exit lights
Siemens HVAC Valves and Actuators
Tridonic LED Drivers



Project:
Al Rayyan Stadium

Product:
TM Technologie Emergency & Exit lights

PROJECT REFERENCES

Governmental- Semi Governmental



Banks




Television Studios



Schools & Hospitals

Sports & fitness



Retail & Others




Car Showrooms



PROJECT REFERENCES

Retail & Others



Company Profile

Talk to us anytime by email,
by phone or simply drop by anytime you want

Contact Us:

Phone:
+974 4442 6504

Fax:
+974 4451 5734

Email:
info@inovec.qa

Website:
www.inovec.qa

Office Address:
Zone 91, Street 294,
Building 30 Unit 29&31
Doha, Qatar